

INDEX MAPS.
T. 21N, R.3 E. 2nd Mer.

	6	5	4	3	2	1
	7	8	9	10	11	12
	18	17	16	15	14	13
	10	15	13	11	9	6
4	19	15	20	12	21	10
	14	14	12	10	8	5
4	30	14	29	12	28	10
	14	13	11	9	7	5
4	31	13	32	11	33	9
	2	2	1	1	1	1

T. 26N, R.3 E. 2nd Mer.

	23	23	22	22	21	21
26	6	5	4	3	33	2
	47			36	33	29
25	7	42	8	40	9	37
	43	42	39	37	34	30
25	18	43	17	40	16	37
	44	44	41	38	35	31
24	19	45	20	41	21	38
	46	45	42	41	39	36
	27	46	27	42	27	39
24	30	29	28	27	26	25
23	31	32	33	34	35	36

(P The figures on the lines refer to the page.

19

Township N. 20 North, Range N. 3 East 2. Mer. Ind. 2.

Township Lines.

Ch. Lk. East Boundary.

Bearings for corner of T. 20 & 27 N, R. 3 & 4 E.

a Beech 30 in. dia. bears N 44 E 44 W. dist. 8

a Do 12 " " " N 73 W 22 " "

South on the E. Boundary of Sec. 1

10.07 a Beech 20 in. dia.

28.32 a Do 10 " "

39.00 a Stream 15 Ws. wide course NW

40.00 set gr. sec. post from which

a Buckeye 18 in. dia. bears N 79 W 15 W. dist. 8

a Beech 14 " " " S 58 E 17 " "

47.70 a Stream 10 Ws. wide course NE

49.24 an Ash 20 in. dia.

60.50 a Walnut 6 " "

80.00 a W. Oak 36 " " corner tree for sec. 1 & 12

Land rolling & rate. Timber Beech, Ash, Sugar,
Oak, Elm, Walnut, Hickory, Lym. & Upr. Spice,
Haw &c. May 30. 1839

South on the E. Boundary of Sec. 12

12.12 a Sugar 18 in. dia.

33.30 a Beech 30 " "

40.00 set gr. sec. post from which

a Sugar 18 in. dia. bears North 9 Ws. dist. 8

a Do 10 " " " N 84 W 21 " "

52.10 a Sugar 40 " "

71.25 a W. Oak 36 " "

80.00 set post cor. of sec. 12 & 13 from which

an Elm 24 in. dia. bears N 8 W 35 Ws. dist. 8

a Beech 15 " " " S 46 W 42 " "

Land rolling & rate. Timber Beech, Sugar,
Oak, Ash, Elm, Hickory & Upr. Spice &c.

South on the E. Boundary of Sec. 13

18.80 a Maple 18 in. dia.

T. 26 N., R. 3 E. 2. Mer. Ind.?

Ch. Sp.

30.46 a Beech 8 in. dia.

38.75 a Stream 10 Mts. wide course SW

40.00 set g. sec. post from which

a Sugar 15 in. dia. bears N 72° W 10 Mts. dist. S.

an Ash 18 " " " S 27° W 54 " "

61.02 a Beech 18 " "

70.21 a Gum 36 " "

80.00 set post cor. of sec. 13 & 24 from which

a B. Oak 18 in. dia. bears N 77° W 18 Mts. dist. S.

an Ash 15 " " " S 59° W 48 " "

Land rolling & rate. Timber Beech, Sugar,
Oak, Elm, Ash, Hickory, Poplar, Gum &
Upr. Spice, Ironwood &

South on the E. Boundary of Sec. 24

10.38 a Beech 12 in. dia.

30.96 a Do 14 " "

40.00 set g. sec. post from which

an Ironwood 14 in. dia. bears N 61° W 39 Mts. dist. S.

a Beech 24 " " " S 32° W 81 " "

54.82 an Elm 18 " "

72.09 a W. Oak 14 " "

75.00 Pipe Creek course N 50° W

77.50 over Creek

80.00 set post cor. of sec. 24 & 25 from which

a Beech 20 in. dia. bears N 33° W 20 Mts. dist. S.

an Ironwood 10 " " " S 58° W 18 " "

Land rolling & rich. Timber Beech, Sugar,
Oak, Ash, Elm, Walnut, Poplar & Spice &

South on the E. Boundary of Sec. 25

7.95 a Beech 10 in. dia.

11.00 a Stream 20 Mts. wide course E.

16.00 same stream course NW

18.18 Intersect N. Boundary of Miami Reserve, set
post in the Creek from which

21

T. 26 N., R. 3 E. 2. Mer. Ind.?

Chs. Lk?

a W. Oak 24 in. dia. bears N 24 E 60 Yds. dist. 8

a Beech 12 " " " N 46 W 24 " "

(Description of land &c. omitted)

June 1. 1839

North Boundary.

West on the S. Boundary of Sec. 36, T 27 N, R 3 E

7.58 a Beech 24 in. dia.

39.19 a Do 8 " "

40.00 cut of sec. part from which

a W. Oak 40 in. dia. bears N 54 W 17 Yds. dist. 8

a Do 20 " " " N 89 E 27 " "

44.60 a Stream 20 Yds. wide course NW

58.12 a Spring branch 3 Yds. wide course N.

60.89 a W. Oak 16 in. dia.

80.00 cut part cor. of sec. 35 & 36 from which

a Beech 10 in. dia. bears N 71 E 6 Yds. dist. 8

a Do 16 " " " N 58 W 30 " "

First half mile level, last half mile broken
by ravines. Timber Beech, Oak, Elm,
Ash &c. Upr. Spice, young Sugar, Irons. &c.

West on the S. Boundary of Sec. 35, T 27 N, R 3 E.

7.40 a Beech 9 in. dia.

25.18 a Stream 10 Yds. wide course NW

26.80 a Do 6 " " " N

34.53 a Sugar 24 in. dia.

40.00 cut of sec. part from which

a Beech 20 in. dia. bears N 59 E 19 Yds. dist. 8

a Sugar 15 " " " N 58 W 55 " "

44.93 a Sugar 24 " "

62.14 a Stream 6 Yds. wide course NW

80.00 cut part cor. of sec. 34 & 35 from which

a Sugar 12 in. dia. bears N 75 E 9 Yds. dist. 8

a Do 12 " " " N 74 W 34 " "

Land rolling good 2. rate. Timber Beech,

T. 26 N., R. 3 E. 2^d Mer. Ind. a
Chr. 1st

Sugar, Oak, Hickory, Elm & Upr. Spice &

West on the S. Boundary of Sec. 34, T. 27 N., R. 3 E

9.62 a Beech 30 in. dia.

25.00 a Stream 10 Mts. wide course N.

40.00 set g. sec. post from which

a Beech 22 in. dia. bears N 55 E 27 Mts. dist. S

a Do 20 " " " N 48 W 48 " "

50.97 an Elm 40 " "

67.21 a Stream 7 Mts. wide course N.

72.98 a B. Oak 12 in. dia.

80.00 set post cor. of sec. 33 & 34 from which

a Beech 20 in. dia. bears N 27 E 46 Mts. dist. S

a Do 16 " " " N 68 W 10 " "

Land broken by deep ravines, 2^d rate.

Timber Beech, Oak, Elm, Sugar &

Very heavy undergrowth of young Sugar,
Spice & Ironwood

West on the S. Boundary of Sec. 33, T. 27 N., R. 3 E

7.00 leave Bluff & enter Wabash bottom

9.40 a Stream 5 Mts. wide course N

22.07 a Hickory 5 in. dia.

26.00 enter Willow Swamp

33.50 leave Do

39.50 enter Do

40.00 set g. sec. post from which

a W. Oak 10 in. dia. bears N 67 W 26 Mts. dist. S

ulgray Ash 14 " " " N 69 E 42 " "

53.00 leave Swamp

59.90 a Buckeye 10 in. dia.

65.31 a Stream 7 Mts. wide course N.

80.00 set post cor. of sec. 32 & 33 from which

a Beech 14 in. dia. bears N 26 E 34 Mts. dist. S

a Do 14 " " " N 32 W 22 " "

Land 1st rate except Swamp

23

T. 26 N., R. 3 E., 2^d Mer. Ind.^a
Ch. 1st 1st

West on the S. Boundary of Sec. 32, T. 27 N., R. 3 E

- 7.30 a Stream 3 lks. wide course N.
13.26 a Do 6 " " " N.
25.86 a Walnut 30 in. dia.
40.00 set q. sec. post from which
an Ash 14 in. dia. bears N 31 E 23 lks. dist. &
a Sugar 28 " " " N 55 W 30 " "
47.02 a Bur Oak 48 in. dia.
73.65 Intersect E. Boundary of Osander's grant N. 8, set
post from which
a Hickory 14 in. dia. bears N 68 E 30 lks. dist. &
a Lym 10 " " " N 10 W 21 " "
80.00 set post cor. of sec. 31 & 32 from which
a Hackberry 12 in. dia. bears N 53 E 5 lks. dist. &
an Elm 18 " " " N 62 W 16 " "
Land level 1st rate. Beech, Sugar, Oak &c.
-

West on the S. Boundary of Sec. 31, T. 27 N., R. 3 E
In Osander's grant

- 7.77 Pipe Creek course N 20 W
9.50 over Creek
14.45 a W. Oak 40 in. dia.
34.96 a Sugar 12 " "
40.00 set q. sec. post from which
a Buckeye 22 in. dia. bears N 78 E 54 lks. dist. &
a Beech 28 " " " N 6 W 51 " "
46.36 a Beech 14 " "
61.39 a Do 24 " "
73.87 Intersect W. Boundary at established corner.
(Description of land &c. omitted)
June 2^d 1839 Chauncy Carter
Deputy Surveyor.
-

West Boundary. Var. 5.40' E,
North on the E. Boundary of Sec. 36, T. 26 N., R. 2 E
1.70 an Indian trace, SW

T. 26 N., R. 3 E. 2.^d Mer. Ind.^a

Chr. Lk?

5.90 a Beech 40 in. dia.
 0.63 " Do 40 " "
 27.50 a Do 12 " "
 35.30 over dry Glue 12 hrs. wide course W
 37.68 a Poplar 24 in. dia.
 40.00 set gr. sec. post from which
 a Beech 18 in. dia. bears N 82° W 12 hrs. dist. 3
 a Do 22 " " " N 41° W 28 " "
 57.70 a Beech 10 " "
 71.00 over dry Glue 25 hrs. wide course W
 73.65 a Beech 26 in. dia.
 80.00 set post cor. of sec. 25 & 36 from which
 a Sugar 12 in. dia. bears S 33° W 38 hrs. dist. 3
 a Do 23 " " " North 9 " "
 Flat 2.^d rate land. Timber Beech, Elm, Lym,
 Ash, Maple & Upr. Spice, Willow &c.

North on the E. Boundary of Sec. 25, T. 26 N., R. 2 E

0.09 a Sugar 23 in. dia.
 5.68 a Beech 28 " "
 34.13 over Rock Creek 10 hrs. wide course W.
 34.90 a Buckeye 8 in. dia.
 40.00 set gr. sec. post from which
 a gray Ash 16 in. dia. bears S 16° W 6 hrs. dist. 3
 a Lym 20 " " " North 6 " "
 40.06 a Lym 20 " "
 55.00 over dry Glue 150 hrs. wide course W
 57.82 a Beech 29 in. dia.
 61.25 over dry Branch 20 hrs. wide course W
 80.00 set post cor. of sec. 24 & 25 from which
 a Beech 20 in. dia. bears S 63° W 30 hrs. dist. 3
 a Ash 24 " " " N 39° W 30 " "
 Level 2.^d rate land. Timber same as last.

North on the E. Boundary of Sec. 24, T. 26 N., R. 2 E

14.40 a Hickory 30 in. dia.

Comp.

T. 26 N., R. 3 E. 2. Mer. Ind. a

25

Chas. L. H.

- 23.59 a Beech 10 in. dia.
 31.00 a W. Elm 30 " "
 33.00 enter Glue 450 Yds. wide course W
 37.50 leave "
 38.50 a Gray Ash 28 in. dia.
 40.00 set of sec. post from which
 a Beech 14 in. dia. bears S 40 W 40 Yds. dist. S
 a Do 30 " " " N 59 W 29 " "
 50.83 a W. Elm 30 " "
 78.00 a Beech 24 " "
 80.00 set post cor. of sec. 13 & 24 from which
 a Sugar 16 in. dia. bears S 22 W 16 Yds. dist. S
 a Poplar 6 " " " N 37 W 49 " "
 Land same as last described.

North on the E. Boundary of Sec. 13, T. 26 N., R. 2 E

- 8.35 a Beech 12 in. dia.
 12.40 over branch of Rock Creek 30 Yds. wide course
 West dry
 22.14 a Beech 30 in. dia.
 28.78 a W. Elm 24 " "
 40.00 set of sec. post from which
 a Gum 12 in. dia. bears S 9 W 46 Yds. dist. S
 a Beech 18 " " " N 31 W 11 " "
 52.50 enter Willow Glue 250 Yds. wide course W
 54.38 a Gray Ash 20 in. dia.
 64.25 a Beech 24 in. dia.
 79.89 a Do 11 " "
 80.00 set post cor. of sec. 12 & 13 from which
 a Beech 11 in. dia. bears South 27 Yds. dist. S
 a Do 20 " " " N 45 W 47 " "
 Land &c. same as last described.

North on the E. Boundary of Sec. 12, T. 26 N., R. 2 E

- 3.95 a Sugar 16 in. dia.
 10.50 enter Willow pond

T. 26 N., R. 3 E. 2. Mer. Ind. a

Ch. Sk.

- 13.50 leave Willow Pond
 20.00 enter Willow Swamp, W
 28.00 leave Do
 32.90 a gray Ash 36 in. dia.
 38.50 enter Willow Slue 45 Ws. wide course W
 40.00 set of sec. post from which
 a W. Oak 6 in. dia. bears N 67° W 12 Ws. dist. S
 a Beech 10 " " " N 23° W 24 " " "
 47.24 a Beech 20 " "
 60.00 a Do 30 " "
 65.00 enter Swamp, W
 71.00 enter wet Prairie, E & W
 74.00 a fine Spring, East 10 Ws.
 80.00 set post in Prairie cor. of sec. 1 & 12 from which
 a Jack Oak 7 in. dia. bears S 67° E 41 Ws. dist. S
 a Pop. Ash 12 " " " N 44° W " "
 Land gently rolling & rate. Timber Beech, Oak,
 Poplar & Ulm. Spice, P. Ash & Flag grass
 in Prairie

North on the E. Boundary of Sec. 1, T. 26 N., R. 2 E

- 1.50 leave Prairie
 5.87 a Beech 22 in. dia.
 12.90 a Dogwood 7 " "
 19.20 a W. Oak 50 " "
 40.00 set of sec. post from which
 a Hornbeam 2 in. dia. bears S 48° W 6 Ws. dist. S
 a Lym 5 " " " N 37° W 30 " "
 52.30 a Beech 16 " "
 68.55 a Do 28 " "
 80.13 Intersect N. Boundary 470 Ws. E. of temp. post -
 set post cor. of T. 26 & 27 N., R. 2 & 3 E. from which
 a Beech 30 in. dia. bears S 61° E 38 Ws. dist. S
 a Do 24 " " " West 28 " "
 Gently rolling with 2 rate land. Timber Beech,
 Ash, Poplar, Sugar & Ulm. Spice, Pawpaw &

T. 26 N., R. 3 E. 2.^d Mer. Ind.^a 27
Chas. D. K.

November 29. 1838 Arthur S. B. Vance
Deputy Surveyor.

South Boundary of the Miami Cession
of November 6. 1838.

Commenced on the line between Ranges 2^d & 3^d
East, T. 26 N. at the corner of Sec. 24 & 25,
thence:

South

21.26 Established corner of the western end of the
South Boundary of the Cession, set post
from which

a W. Ash 18 in. dia. bears N 89° W 30 Wks. dist. 3
a Beech 12 " " " N 88° E 28 " "

East on the 1.st Mile

10.50 an Elm 30 in. dia.

24.27 a W. Oak 18 " "

20.00 Road from Deer Creek to Peru, course N E

01.29 a Beech 8 in. dia.

08.00 sluggish stream 12 Wks. wide course NW

80.00 set temp. post 1.st Mile

First 1/4 part level & wet, middle part
1.st rate land. Timber Oak, Walnut, Ash,
Sugar, Poplar

East on the 2.^d Mile

15.25 an Elm 20 in. dia.

25.25 a Beech 12 " "

42.02 an Oak 4 " "

07.52 an Ash 18 " " parallel to the line here
is a beautiful stream 5 Wks. wide

80.00 set temp. post

First 3/4 mile level 1.st rate. Timber Beech,
Oak, Walnut, Sugar, Wyl. Spice, Hazel &c.

East on the 3.^d Mile

T. 26 N., R. 3 E. 2. Mer. Ind.^a
 Ch. Lk.

1.50 a rapid stream 12 M^s. wide course NW
 36.53 a Poplar 30 in. dia.
 57.28 a gray Ash 6 " "
 80.00 3 Miles, set temp. post
 Land level 2nd rate. Beech, Oak, Ash, Walnut,
 Poplar, Sycamore & Upr. Spice &

Cart on the 4th Mile

16.20 a Beech 12 in. dia.
 47.11 an Elm 24 " "
 64.47 a Beech 24 " "
 75.50 enter Willow Swamp. N & S
 80.00 4 Miles.
 Land level 2nd rate. Timber Oak, Elm, Hickory,
 Beech, Ash, Sycamore & Upr. Spice, Prickly
 Ash & May 9. 1839

Cart on the 5th Mile

1.00 leave Swamp
 12.95 a Sycamore 18 in. dia.
 15.00 Along here a beautiful grove of Poplar
 38.00 a Hickory 14 in. dia.
 53.98 an Elm 20 " "
 80.00 5 Miles at a branch 3 M^s. wide course NE
 Land level 1st good. Timber Poplar, Beech,
 Walnut, Sugar, Ash, Oak & Upr. Spice,
 Prickly Ash &

Cart on the 6th Mile

10.00 a Stream 8 M^s. wide course N.
 12.84 a Beech 14 in. dia.
 45.71 a Do 22 " "
 70.00 a rapid stream 27 M^s. wide course N.
 80.00 6 Miles
 Land rolling 1st rate. Timber Poplar, Walnut,
 Beech, Sugar, Ash, Oak & Upr. Spice &

T. 26 N., R. 3 E. 2. Mer. Ind. a 29
Chas. L. W.

May 10. 1839 Chauncy Carter
Deputy Surveyor.

Subdivision.

South between Sec. 1 & 2

17.96 a Beech 10 in. dia.

29.56 a Do 18 " "

40.00 set of sec. post from which

a Ironwood 12 in. dia. bears N 7 E 40 Yds. dist. 8

a Sugar 24 " " " S 27 E 14 " "

49.94 an Elm 18 " "

75.05 a W. Oak 40 " "

80.00 set post cor. of sec. 1, 2, 11 & 12 from which

a Beech 24 in. dia. bears N 10 E 34 Yds. dist. 8

a Do 22 " " " S 26 W 36 " "

Land rolling & good L. rate. Timber Beech,

Sugar, Oak, Ash, Elm, Walnut, Hickory, Gum

& W. Spr. Spice &c.

East in Random between Sec. 1 & 12

80.50 Intersect E. Boundary 14 Yds. N. of post—

Land rolling & rich. Beech, Sugar, Walnut,

Oak, Ash, Buckeye, Gum, Hickory, Poplar

&c. W. Spr. Spice, Pawpaw &c.

West Corrected between Sec. 1 & 12

18.30 a Beech 24 in. dia.

29.77 an Ash 15 " "

40.25 set of sec. post at aver. dist. from which

a Beech 20 in. dia. bears N 29 E 36 Yds. dist. 8

a Do 15 " " " S 49 E 35 " "

51.31 a Hickory 28 " "

67.00 a Poplar 60 " "

80.00 to sec. cor.

Measured on Range line East side of Sec. 1

T.M.N., R.3 E.2. Mer. Ind.?

Ch. Sp.

North from gr. sec. post

15.63 to South line of grant N. 24, set post from wh.
an Ash 6 in. dia. bears N 70 E 10 W. dist. 8
an Ironwood 10 " " " S 64 W 12 " "

South between Sect. 11 & 12

16.76 a Beech 20 in. dia.

38.35 a Do 12 " "

40.00 set gr. sec. post from which

a H. Locust 20 in. dia. bears N 74 W 23 W. dist. 8

a Beech 18 " " " S 61 E 53 " "

52.73 a Beech 24 " "

65.43 a Do 30 " "

80.00 set post on. of Sect. 11, 12, 13 & 14 from which

a Beech 24 in. dia. bears N 47 W 34 W. dist. 8

a Do. 24 " " " S 34 W 13 " "

Land rolling rich. Timber Beech, Sugar,
Walnut, Ash, Oak, Elm, Hickory, Gum, Poplar
Upr. Spice, Pawpaw &c.

East on Random between Sect. 12 & 13

80.30 Intersect E. Boundary 20 W. N. of post -

West half mile rolling T. water, East half
mile level wet. Timber Beech, Oak, Sugar
Ash, Walnut Elm, Gum &c. Upr. Spice &c.

West Connected between Sect. 12 & 13

15.32 a Sugar 30 in. dia.

20.86 a Buckeye 14 " "

40.15 set gr. sec. post at aver. dist. from which

a W. Oak 18 in. dia. bears N 49 W 37 W. dist. 8

a Do 18 " " " N 71 E 31 " "

51.65 a Beech 10 in. dia.

60.88 an Elm 4 " "

80.30 to sec. cor. September 26. 1839

T. 20 N., R. 3 E. 2. Mer. Ind. a

Ch. Sk.

South between Sec. 13 & 14

13.13 a Beech 36 in. dia.

20.21 a W. Oak 18 " "

40.00 set g. sec. post from which

a Gyp. Ash 12 in. dia. bears N 57° W 17 Ms. dist. 8,

a Bur Oak 18 " " " S 37° W 57 " "

49.78 a Beech 20 in. dia.

59.00 a Stream 15 Ms. wide course W

67.04 a Buckeye 12 in. dia.

73.00 Pipe Creek course W.

74.00 over "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

an Ash 18 in. dia. bears N 63° W 19 Ms. dist. 8,

a Sugar 12 " " " S 71° E 15 " "

Land rolling & good. Timber Beech, Sugar,
Walnut, Oak, Ash, Poplar, Hickory, Spruce &c.

East on Randem between Sec. 13 & 24

34.29 Pipe Creek course NW

36.25 over "

45.00 leave Creek bottom

80.70 Intersect E. Boundary 32 Ms. N. of post -

Land, West half mile rich bottom, East half
mile rolling good 2. rate. Timber as before

West corrected between Sec. 13 & 24

13.33 a Poplar 18 in. dia.

20.20 a Beech 14 " "

40.35 set g. sec. post at aver. dist. from which

a Buckeye 22 in. dia. bears N 51° E 30 Ms. dist. 8,

a Beech 24 " " " S 80° W 30 " "

55.36 a Buckeye 10 " "

67.13 a W. Walnut 24 " "

80.70 to sec. cor.

South between Sec. 23 & 24

T. 26 N., R. 3 E., 2^d Mer. Ind.^a
 Ch. Sp?

18.00 a W. Oak 40 in. dia.

28.32 an Elm 24 " "

40.00 set q. sec. post from which

a Beech 16 in. dia. bears N 25 E 15 W. dist. 8,

a Do 15 " " " S 71 W 18 " "

50.90 a Poplar 30 " "

69.83 a Beech 24 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Sugar 15 in. dia. bears N 64 E 33 W. dist. 8,

a Do 20 " " " S 74 W 30 " "

Land North half mile broken, South half mile level 2^d rate. Timber Beech, Oak, Elm, Sugar, Ash, Hickory, Poplar & Lym. Upr. Spice &c

East on Random between Sec. 24 & 25

61.50 a Stream 15 W. wide course N.

80.88 Intersect E. Boundary 28 W. N. of post -

West half mile level, East half mile rolling & rich
 Timber Beech, Sugar, Walnut, Poplar, Oak, Ash,
 Elm & Upr. Spice, Pawpaw &c

West Corrected between Sec. 24 & 25

12.61 an Ash 36 in. dia.

31.60 a Beech 24 " "

40.44 set q. sec. post at aver. dist. from which

a Beech 24 in. dia. bears N 14 E 38 W. dist. 8,

an Ash 30 " " " S 64 W 21 " "

50.00 a Beech 10 " "

68.19 a Do 10 " "

80.88 to sec. cor.

South between Sec. 25 & 26

9.90 a Lym 14 in. dia.

19.15 Intersect S. Boundary of Miami cession, set post from which

a Beech 36 in. dia. bears N 30 W 8 W. dist. 8

T. 26 N., R. 3 E., 2^d Mer. Ind.^a
 Chas. E. P.

a Hickory 14 in. dia. bears S 41 E 36 W. dist.
 Land level 2^d rate.

South between Sec. 2 & 3

23.31 a Beech 20 in. dia.

34.79 a W. Oak 22 " "

40.00 set of sec. post from which

a Beech 24 in. dia. bears S 82 W 12 W. dist. 8

an Ash 12 " " " N 49 E 21 " "

51.25 an Ironwood 8 in. dia.

68.24 a Beech 12 " "

80.00 set post cor. of sec. 2, 3, 10 & 11 from which

a Beech 24 in. dia. bears N 54 E 27 W. dist. 8

a Do 24 " " " S 66 W 18 " "

Land rolling good 2^d rate. Timber Beech, Sugar,
 Oak, Ash, Elm, Gum, Hickory & No Wgs.

September 27. 1839

East on Random between Sec. 2 & 11

80.62 Intersect N & S line 15 W. S. of post—

Land rolling good 2^d rate. Timber Beech,
 Sugar, Oak, Ash, Elm, Hickory, Gum &
 Wgs. Spice &

West Corrected between Sec. 2 & 11

15.66 a Beech 15 in. dia.

31.82 a Do 16 " "

40.31 set of sec. post at aver. dist. from which

a Beech 22 in. dia. bears N 54 W 9 W. dist. 8

a Do 18 " " " S 39 W 62 " "

47.65 a Beech 24 " "

60.10 a Do 12 " "

80.62 to sec. cor.

South between Sec. 10 & 11

14.76 a Beech 20 in. dia.

T. 26 N., R. 3 E. 2^d Mer. Ind.^a

Chr. Sho.

36.90 a Sugar 18 in. dia.

40.00 set of sec. part from which

a Beech 18 in. dia. bears S 87 E 43 W. dist. 2

a Do 20 " " " N 36 E 47 " "

51.56 a Buckeye 8 " "

65.00 Pipe Creek course NW

67.50 over creek

76.22 a Water Beech 8 in. dia.

80.00 set part cor. of sec. 10, 11, 14 & 15 from which

a Beech 20 in. dia. bears S 72 E 50 W. dist. 2

a Do 28 " " " S 76 W 30 " "

Land North half mile rolling good 2^d rate,
 South half mile level rich bottom. Timber
 same as before described.

East on Random between Sec. 11 & 14

22.65 Pipe Creek, course N.

24.65 over "

86.82 Intersect N. & S. line 10 W. S. of part -

Land West half mile creek bottom, East
 half mile rolling 1st rate. Timber Beech,
 Sugar, Walnut, Buckeye, Ash, Oak, Elm,
 Hickory. Upr. Spruce, Pawpaw

West Corrected between Sec. 11 & 14

15.10 an Elm 40 in. dia.

29.77 a Beech 10 " "

40.41 set of sec. part at aver. dist. from which

a Buckeye 20 in. dia. bears N 66 E 36 W. dist. 2

a Do 24 " " " N 42 W 29 " "

51.32 an Ash 20 " "

62.68 a Hackberry 12 " "

80.82 to sec. cor.

South between Sec. 14 & 15

10.38 a Beech 24 in. dia.

T. 26 N., R. 3 E., 2^d Mer. Ind. a.
Chr. L. 10?

30.11 an Ash 24 in. dia.

40.00 set of sec. post from which

a Beech 18 in. dia. bears N 54 E 5 W. dist. 8

a Do 28 " " " S 37 W 51 " "

53.51 a Sycamore 24 in. dia.

68.94 a Beech 12 in. dia.

80.00 set post cor. of sec. 14, 15, 22 & 23 from which

a R. Oak 15 in. dia. bears N 48 E 32 W. dist. 8

an Elm 30 " " " S 5 W 29 " "

Land rolling State. Beech, Sugar, Oak, Elm,
Ash, Poplar, Hickory, Lym & Wgs. Spice &

East on Random between Sec. 14 & 23

81.00 Intersect N & S. line 21 W. S. of post -

Land rolling State. Timber Beech, Sugar,
Oak, Ash, Elm, Walnut, Poplar, Lym &
Wgs. Spice &

West Corrected between Sec. 14 & 23

19.58 a Beech 24 in. dia.

32.67 a Poplar 40 " "

40.50 set of sec. post at aver. dist. from which

a Beech 24 in. dia. bears N 49 W 34 W. dist. 8

a Do 18 " " " N 88 E 41 " "

51.38 a Poplar 30 " "

67.36 a Beech 20 " "

81.00 to sec. cor. September 27. 1839

North between Sec. 22 & 23

12.97 a Sycamore 48 in. dia.

29.50 an Elm 15 in. dia.

40.00 set of sec. post from which

an Ash 12 in. dia. bears S 48 W 30 W. dist. 8

a Do 15 " " " S 20 E 70 " "

56.49 a B. Oak 14 " "

69.22 a Do 20 " "

T. 20 N., R. 3 E. 2^d Mer. Ind.^a
Chs. Lts.

80.00 set post cor. of sec. 22, 23, 20 & 27 from which
a Bur Oak 15 in. dia. bears S 38 E 17 W. dist. 8
an Elm 18 " " " N 44 W 51 " "
Land level & rich, a portion near the center wet.
Timber Beech, Oak, Walnut, Ash, Sugar, Poplar,
Elm, Lym, Hickory & Upr. Spice, P. Ash &c.

East on Random between Sec. 23 & 20

81.17 Intersect N. S. line 17 W. N. of post -
Land level dry & rich. Timber Beech, Sugar,
Oak, Ash, Elm, Oak, Hickory, Lym, Poplar,
Walnut & Upr. Spice &c.

West Corrected between Sec. 23 & 20

11.07 an Ironwood 10 in. dia.
28.05 a Poplar 18 in. dia.
40.58 1/2 set of sec. post at aver. dist. from which
a Beech 24 in. dia. bears N 37 E 40 W. dist. 8
a Do 15 " " " S 57 W 10 " "
49.40 a Beech 14 " "
67.55 a Do 10 " "
81.17 to sec. cor.

South between Sec. 20 & 27

19.86 Intersect the S. Boundary of Miami cession, set
post from which
an Ash 10 in. dia. bears N 49 E 8 W. dist. 8
a Do 12 " " " S 52 W 25 " "
Land level & rich

West between Sec. 30 & 10

12.74 a Beech 18 in. dia.
27.08 Intersect E. Boundary of J. B. Richardville's
Grant N. 4, set post from which
an Elm 15 in. dia. bears N 16 W 37 W. dist. 8
a Walnut 30 " " " S 27 E 29 " "

T. 26 N., R. 3 E. 2. Mer. Ind. a
Ch. Lk.

Measured North along said E. Boundary
22.40 Ch. to the NE. cor. of said grant.

West between Sec. 10 & 15

15.25 an Ash 36 in. dia.

27.93 a Walnut 18 " "

40.00 set gr. sec. post from which

a Beech 28 in. dia. bears S 84 E 27 Mer. dist. 8

a Walnut 18 " " " N 74 W 36 " "

51.96 a Walnut 48 " "

70.90 an Ash 18 " "

80.00 set post cor. of Sec. 9, 10, 15 & 16 from which

a Beech 14 in. dia. bears N 59 E 31 Mer. dist. 7

a Dr 18 " " " S 53 W 61 " "

Land rolling & vib. Timber Beech, Sugar,
Walnut, Ash, Oak, Elm, Hickory, Gum &
Upr. Spice &c.

North between Sec. 9 & 10

12.57 a Beech 14 in. dia.

20.29 a Buckeye 12 in. dia.

40.00 set gr. sec. post from which

a Beech 20 in. dia. bears N 16 E 18 Mer. dist. 8

a Buckeye 14 " " " S 19 W 43 " "

43.84 Intersect S. Boundary of Grant N. 44 to J. B.

Richardville Jr., set post from which

a Hickory 12 in. dia. bears N 20 E 12 Mer. dist. 8

a Sugar 14 " " " S 47 W 20 " "

Measured East along said S. Boundary 52.70
Ch. to the SE. corner of said grant.

Land rolling & T. rate.

South between Sec. 15 & 16

11.45 a Beech 14 in. dia.

28.67 a Hickory 18 " "

40.00 set gr. sec. post from which

T. 20 N., R. 3 E. 2. Mer. Ind. a

Ch. Lk.

a Mulberry 18 in. dia. bears N 34° W 30 W. dist. 8
 an Ash 12 " " " S 15° W 10 " "
 53.39 an Elm 6 " "
 66.85 a Walnut 18 " "
 80.00 set post cor. of sec. 15, 16, 21 & 22 from which
 a Beech 18 in. dia. bears S 75° W 23 W. dist. 8
 a Do 24 " " " S 77° E 24 " "
 Land level dry creek. Timber Beech, Sugar
 Oak, Walnut, Ash, Elm, Lym, Poplar, Hickory
 & Upr. Spice, Pawpaw &c Sept. 28. 1839

East or Random between Sec. 15 & 22

79.26 Intersect N. L. line 18 W. S. of post—
 Land rolling creek. Timber Beech, Sugar, Wal-
 nut, Oak, Ash, Elm, Poplar, Hickory, Lym
 & Upr. Spice, Pawpaw &c

West Connected between Sec. 15 & 22

10.16 a B. Oak 16 in. dia.
 29.36 a Beech 12 " "
 39.63 set of sec. post at aver. dist. from which
 a B. Oak 28 in. dia. bears N 15° W 24 W. dist. 8
 a Beech 10 " " " S 44° E 11 " "
 54.71 a Poplar 48 " "
 64.01 a Hickory 18 " "
 79.26 to sec. cor.

South between Sec. 21 & 22

12.60 a Poplar 48 in. dia.
 40.00 set of sec. post from which
 a Maple 18 in. dia. bears N 36° E 22 W. dist. 8
 a Do 20 " " " S 46° E 23 " "
 55.63 a Beech 18 " "
 67.70 a Do 12 " "
 80.00 set post cor. of sec. 21, 22, 27 & 28 from which
 a W. Oak 18 in. dia. bears N 11° W 31 W. dist. 8

T. 26 N., R. 3 E. 2. Mer. Ind.

Chr. 26?

a Lym 28 in. dia. bears S56E 23 Ws. dist.
 Sand level, rich & inclined to wet. Timber
 Beech, Oak, Ash, Elm, Sugar, Poplar, Hickory,
 Lym & Upr. Spice &

East in Random between Sec. 22 & 27

78.86 Intersect N & S. line 41 Ws. S. of post -

Sand level sweet. Timber Beech, Hickory,
 Oak, Elm, Ash, Lym, Sugar & Upr. Spice, Potamo.

West Connected between Sec. 22 & 27

15.95 a Beech 10 in. dia.

29.88 a Do 12 " "

39.43 set of sec. post at aver. dist. from which

a Beech 14 in. dia. bears N64E 29 Ws. dist. 3

a Do 24 " " " N71W 12 " "

50.33 a Beech 12 " "

68.03 a Hickory 28 " "

78.86 to sec. cor.

South between Sec. 27 & 28

12.40 a Beech 18 in. dia.

20.00 Intersect S. Boundary of Miamiaceum, set
 post from which

a Hickory 18 in. dia. bears N43W 21 Ws. dist. 3

a Beech 12 " " " S48E 14 " "

Sand level rich.

West between Sec. 9 & 10

11.29 a Hickory 10 in. dia.

27.75 an Elm 28 " "

40.00 set of sec. post from which

a Poplar 24 in. dia. bears N56E 17 Ws. dist. 3

a Do 28 " " " S3E 21 " "

48.20 an Elm 24 " "

61.43 a Sugar 14 " "

T. 26 N., R. 3 E. 2^d Mer. Ind.^a
Ch. Lk.

80.00 set part cor. of sec. 8, 9, 16 & 17 from which
a Poplar 24 in. dia. bears N 70° W 30 W. dist. 23
a Sugar 30 " " " S 31° E 42 " "
Land rolling rich. Timber Beech, Sugar,
Walnut, Poplar, Oak, Ash, Elm, Hickory &
Upr. Spice, Pawpaw &c.

North between Sec. 8 & 9

11.55 a Hickory 10 in. dia.

34.16 a Sugar 18 " "

40.00 set gr. sec. part from which

a Beech 12 in. dia. bears N 22° E 30 W. dist. 8

a Do 18 " " " S 63° W 20 " "

43.66 Intersect S. Boundary of Grants N. 1, set part from
which a W. Oak 24 in. dia. bears S 84° E 16 W. dist. 8

a Beech 20 " " " S 71° W 26 " "

Measured East along said S. Boundary 23.17

Ch. to the S. E. cor. of said grant.

Land broken poor.

South between Sec. 16 & 17

12.98 an Ironwood 12 in. dia.

28.56 an Elm 20 in. dia.

40.00 set gr. sec. part from which

a Sugar 20 in. dia. bears N 70° E 31 W. dist. 8

a Beech 24 " " " S 80° W 21 " "

52.46 a Beech 20 " "

71.59 a Do 5 " "

80.00 set part cor. of sec. 16, 17, 20 & 21 from which

a Hickory 18 in. dia. bears N 39° W 13 W. dist. 8

a Sugar - " " " S 63° E 29 " "

Land rolling 1st rate. Timber Beech, Walnut,
Ash, Oak, Sugar, Elm, Hickory, Lym. & Upr.
Spice, Pawpaw &c. September 29, 1839

East on Random between Sec. 16 & 21

T. 26 N., R. 3 E. 2. Mer. Ind.

Chr. Sk.

79.56 Intersect N & S. line 5 lks. S. of post -
Land West half rolling & good, East half mile
level & wet. Timber Beech, Oak, Sugar, Elm,
Ash, Walnut, Hickory & Upr. Spice &c.

West Corrected between Sec. 16 & 21

10.33 a Beech 10 in. dia.
27.74 a Bur Oak 15 " "
39.78 set of sec. post at aver. dist. from which
an N. Oak 24 in. dia. bears N 27° W 25 lks. dist. S
a Beech 16 " " " S 62° E 4 " "
51.61 a Hickory 18 " "
67.87 a Beech 14 " "
79.56 to sec. cor.

South between Sec. 20 & 21

15.25 a Sugar 28 in. dia.
25.65 a Beech 12 " "
40.00 set of sec. post from which
an Elm 48 in. dia. bears S 62° E 16 lks. dist. S
a Bur Oak 15 " " " N 63° W 14 " "
51.71 a Sycamore 48 " "
68.50 a Stream 15 lks. wide course NW
70.27 an Ash 18 in. dia.
73.00 a Stream 20 lks. wide course NW
80.00 set post cor. of sec. 20, 21, 28 & 29, in the little
creek, from which
an Ash 20 in. dia. bears S 68° W 38 lks. dist. S
a Hickory 18 " " " N 3° E 48 " "
Land rolling & rate. Timber same as on
adjacent lands.

East on Random between Sec. 21 & 28

79.28 Intersect N & S. line at post -
Land level dry & rich. Timber Beech, Sugar,
Walnut, Oak, Ash, Elm, Gum, Poplar, Hickory &c.

T. 26 N., R. 3 E. 2. Mer. Ind. a

Elev. 100?

Ulp. Spice, Pawpaw &c.

West Connected between Sec. 21 & 28

11.24 a Beech 16 in. dia.

29.90 a Do 18 " "

39.64 set q. sec. post at aver. dist. from which
a Hickory 20 in. dia. bears N 67 E 32 W. dist. 23
an Elm 14 " " " S 77 W 23 " "

51.91 a Hickory 30 " "

65.03 a Beech 12 " "

79.28 to sec. cor.

South between Sec. 28 & 29

10.00 a Beech 20 in. dia.

21.00 Intersect S. Boundary of Miami Cession, set
post from which

an Ironwood 10 in. dia. bears N 42 E 3 W. dist. 23

a Sugar 10 " " " S 83 W 25 " "

Land rolling & good

West between Sec. 8 & 17

9.00 a Stream 25 Ws. wide course NW

14.17 a Buckeye 10 in. dia.

25.89 a Beech 18 " "

40.00 set q. sec. post from which

a Beech 18 in. dia. bears N 57 W 12 Ws. dist. 23

a Buckeye 18 " " " N 77 E 26 " "

50.43 a Walnut 60 " "

65.83 an Ash 10 " "

80.00 set post cor. of sec. 7, 8, 17 & 18 from which

a Beech 18 in. dia. bears N 56 E 12 Ws. dist. 23

a Do 18 " " " S 22 E 11 " "

Land rolling & rich. Timber Beech, Sugar, Walnut,
Ash, Oak, Elm, Poplar, Hickory &c. Ulp. Spice &c.

North between Sec. 7 & 8

T. 20 N., R. 3 E. 2. Mer. Ind.

Chs. Chs.

15.59 a Beech 24 in. dia.

35.86 a Do 18 " "

40.00 set of sec. post from which

a Beech 24 in. dia. bears S 88 E 14 W. dist. 8

a Do 18 " " " S 73 W 17 " "

54.04 a Beech 16 " "

59.33 Intersect N. Boundary of the cession, set post from which

a Beech 24 in. dia. bears S 65 E 18 W. dist. 8

a Do 20 " " " N 75 W 12 " "

Measured along said Boundary East to the S.E. corner of old Boundary 6.30 Chs.

Land rolling & good 2. rate. Timber as on land adjacent.

West between Secs. 7 & 18 on Randome

73.53 Intersect W. Boundary 33 Ws. N. of post -
Land level wet

East Correlated between Secs. 7 & 18

Bearings for corner in W. Boundary:

a Beech 20 in. dia. bears S 63 E 52 W. dist. 8

a Buckeye 14 " " " N 67 E 28 " "

10.59 a Beech 15 " "

26.27 a Do 24 " "

33.53 set of sec. post from which

an Ash 28 in. dia. bears N 29 E 41 W. dist. 8

an Elm 30 " " " S 31 W 8 " "

40.73 an Ash 24 " "

65.99 a Walnut 12 " "

73.53 to sec. cor. September 30. 1839

South between Secs. 17 & 18

3.00 enter Willow Swamp, E & N

9.00 leave Do

18.16 an Ironwood 5 in. dia.

T. 20 N., R. 3 E. 2. Mer. Ind. a

Ch. 1. Sec.

- 34.15 an Elm 24 in. dia.
 36.00 enter Willow Swamp
 40.00 set g. sec. post from which
 a gum 18 in. dia. bears N 83° W 187 yds. dist.
 no other tree convenient
 43.00 leave Swamp
 50.63 an Ash 6 in. dia.
 68.31 a Beech 12 " "
 80.00 set post cor. of sec. 17, 18, 19 & 20 from which
 a Hickory 24 in. dia. bears S 87° E 24 yds. dist. &
 a Do 12 " " " S 67° W 18 " "
 Land level 2. rate. Timber same as on adja-
 cent lands.

East on Random between Sec. 17 & 20

- 45.00 a Stream 30 yds. wide course N.
 79.40 Intersect N. G. line 14 yds. N. of post -
 Land rolling & good 2. rate. Timber Beech,
 Sugar Oak, Ash, Elm, Walnut, Hickory &
 Algs. Spice &c.

West Connected between Sec. 17 & 20

- 9.92 an Ash 40 in. dia.
 30.54 a W. Oak 40 " "
 39.70 set g. sec. post at aver. dist. from which
 a Beech 24 in. dia. bears N 20° E 39 yds. dist. &
 a Do 24 " " " S 51° E 38 " "
 48.81 a Beech 24 " "
 62.93 an Ash 9 " "
 79.40 to sec. cor.

West on Random between Sec. 18 & 19

- 64.00 a muddy stream 15 yds. wide course NNW
 73.06 Intersect W. Boundary 14 yds. N. of post -
 Land level & wet. Timber as before noted.

T. 26 N., R. 3 E., S. 2 Mer. Ind.?

Chas. E. H.?

East Corrected between Sec. 18 & 19

Bearings for corner in W. Boundary:

a Beech 12 in. dia. bears S 51 E 37 W. dist. 3

a Do - " " " N 81 E 32 " "

14.37 an Elm 40 " "

26.53 a Lym 6 " "

33.06 set g. sec. post from which

a Beech 18 in. dia. bears S 89 W 6 W. dist. 3

a Do 18 " " " S 84 E 14 " "

43.58 an Elm 28 " "

59.22 an Ironwood 6 in. dia.

73.06 to sec. cor.

South between Sec. 19 & 20

10.24 a Hickory 20 in. dia.

27.24 a Beech 14 " "

40.00 set g. sec. post from which

a Beech 14 in. dia. bears S 51 E 12 W. dist. 3

a Sugar 16 " " " N 23 W 47 " "

50.40 a Beech 16 " "

66.82 a Do 14 " "

80.00 set post cor. of sec. 19, 20, 29 & 30 from which

a Beech 24 in. dia. bears N 47 E 11 W. dist. 3

a Do 16 " " " N 48 W 72 " "

Land level rich. Timber Beech, Sugar, Oak,
Ash, Poplar, Walnut, Hickory, Lym, Elm &
Ulp. Spice, Pawpaw &c.

East on Random between Sec. 20 & 29

79.46 Intersect N. S. line 17 W. N. of post -

Land level dry rich. Timber Beech,
Sugar, Walnut, Oak, Ash, Poplar, Lym,
Hickory & Ulp. Spice &c.

West Corrected between Sec. 20 & 29

9.67 a Sugar 12 in. dia.

T. 26 N., R. 3 E., 2^d Mer. Ind.^a

Ch. Sk.

26.73 a Walnut 20 in. dia.

39.73 set of sec. post at aver. dist. from which
a Beech 28 in. dia. bears N 29° W 37 lks. dist. S.
a Do 24 " " " S 1 E 3 " "

53.00 an Elm 28 " "

65.62 a Beech 36 " "

79.46 to sec. cor.

West on Random between Sec. 19 & 30

72.57 Intersect W. Boundary 33 lks. N. of post -

Land level & inclined to be wet. Timber same
as on adjacent lands.

East Connected between Sec. 19 & 30

Bearings for corner in W. Boundary:

an Ark 18 in. dia. bears N 87° E 48 lks. dist. S.

a Beech 6 " " " S 45° E 30 " " (Dead tree)

20.80 a Beech 20 " "

32.57 set of sec. post from which

a W. Oak 18 in. dia. bears N 23° E 8 lks. dist. S.

a Beech 14 " " " S 43° W 30 " "

49.81 a Beech 18 " "

60.49 an Ark 10 " "

72.57 to sec. cor.

South between Sec. 29 & 30

15.07 a Lym 14 in. dia.

21.69 Intersect S. Boundary of Miami cession,
set post from which

a Lymore 28 in. dia. bears N 51° W 22 lks. dist. S.

a Bur Oak 24 " " " S 56° E 19 " "

Land level dry & rich. Oct. 1, 1839

I hereby certify that in pursuance of
a contract with E. S. Haines, Surveyor
General of the United States for the States

47

T. 20. N., R. 3 E. 2. Mer. Ind.?

Ch. 1839

for the States of Ohio, Indiana and Michigan,
bearing date the 20th day of April 1839, and
in strict conformity with the Laws of the United
States and the instructions of the said
Surveyor General, I have surveyed and
subdivided into sections and fractional
sections Township N. 20 North in Range
N. 3 East of the 2^d Principal Meridian in
the State of Indiana; and I further certify
that the foregoing are the true and original
field notes thereof.

Certified this 1st day of October 1839

Chauncey Carter

Deputy Surveyor.

J. H. Keefe

William Miller

William T. Shave, Marker

} Chain carriers

East on Random between Sec. 6 & 7

From corner in W. Boundary

1.50 leave Prairie

17.00 enter Willow pond

19.00 leave Do

79.82 Intersect E. Boundary of Purchase, set posts
from which

a Beech 18 in. dia. bears S 32° W 7 1/2 M. dist. 2.

a Do 30 " " " N 56° W 31 " "

Gently rolling 1st rate land, timber Beech,
Ash, Elm, Walnut, Buckeye, & Upr. Spruce,
Pawpaw &c.

West blazed back between Sec. 6 & 7

2.15 a Bur Oak 60 in. dia.

10.03 a Beech 12 in. dia.

40.00 set g. sec. post from which

a R. Elm 40 in. dia. bears S 35° W 1 M. dist. 2.

T. 26 N., R. 3 E. 2. Mer. Ind.^a
 Chr. Sk.

a Buckeye 13 in. dia. bears N 35 E 43 W. dist.
 52.80 a W. Oak 46 " "
 65.89 a Beech 8 " "
 79.82 to sec. cor. December 3. 1838

I hereby certify that in pursuance of a contract with Robert T. Lytle, Surveyor General of the United States for the States of Ohio, Indiana and Michigan, bearing date the 10th day of May 1838, and in strict conformity to the Laws of the United States and the instructions of the said Surveyor General, I have surveyed and subdivided Township N^o. 26 North in Range N^o. 3 East of the 2^d. Principal Meridian, in the State of Indiana; and I do further certify that the foregoing are the true field notes of said survey and subdivision, executed as aforesaid.

Certified this 7th day of December 1838

Arthur H. C. Vance
 Deputy Surveyor.

I certify that the foregoing transcript of Field Notes of the survey of Township N^o. 26 North in Range N^o. 3 East of the 2^d. Principal Meridian, in the State of Indiana, has been compared with the original on file in this office, and found to be correct.)

Surveyor General's Office,
 Cincinnati, Dec. 7. 1844

William Johnston
 Sur. Genl.

Compd

INDEX MAPS.

T.25 N.R.3 E. 2 ^d Mer.

186	187	187	188	188	189	
192 6	234 5	223 4	215 3	207 2	200 1	186
233	232	222	214	206	199	
192 7	232 8	221 9	213 10	206 11	198 12	185
231	230	221	213	205	198	
191 18	230 17	220 16	212 15	205 14	197 13	185
229	228	219	211	204	196	
191 19	227 20	218 21	210 22	203 23	195 24	184
227	226	218	210	203	195	
190 30	225 29	217 28	209 27	202 26	194 25	184
225	224	216	208	201	193	
190 31	223 32	216 33	208 34	201 35	193 36	183
181	181	181	182	182	183	

T.26 N.R.3 E. 2 ^d Mer.

6	5	4	3	2	1	
7	8	9	10	11	12	
18	17	16	15	14	13	
19	20	21	22	23	24	
North Boundary of Reservation.						
244 30	253 29	251 28	249 27	248 26	246 25	242
254	252	251	249	247	245	
243 31	252 32	250 33	248 34	246 35	245 36	242
239	239	240	240	241	241	

The figures on the lines refer to the page.

239.

Township N. 26 N. Range N. 3 E. 2nd Mer. Indiana,
Ch. Lk.

South Boundary.

Var. 5° 10' E.

N 89° 50' E. On S. Boundary of Sec. 31

Re-established Town Cor.

a Beech 12 in. diam. b. N. 45 E 63 lks. dis.

an Ironw. 8 " " " 4.48 E. 37 " "

15.37 a Hickory 20 " "

28.50 a Road N. N. W. 4. 4. E.

32.40 1st 2nd Sec. post p. wh.

an Elm 30 in. diam. b. N. 62 W. 21 lks. dis.

a B. Ash 10 " " " N. 40 W. 48 " "

50.21 a W. Ash 18 " "

72.40 1st 2nd Sec. post Cor. to Secs. 31 & 32 p. wh.

a B. Walnut 12 in. diam. b. N. 47 W. 51 lks. dis.

a Beech 12 " " " N. 34 E. 12 " "

Land here pine rate Clay
Soil Timberland with B. Walnut, Beech
W. Oak, Syc., White Wood, Ironwood,
Sycamore, Butternut, Buckeye, Sugar
Hickory &c —

Underbrush of Spruce & P. Ash.

N 89° 50' E. On S. Boundary of Sec. 32.

22.47 a Sycamore 18 in. diam.

40.00 1st 2nd Sec. post p. wh.

a W. Ash 8 in. diam. b. N. 78 W. 32 lks. dis.

a Beech 10 " " " N. 78 E. 74 " "

47.50 Dry Bed of Stream 10 lks. co. N. W.

57.10 a B. Oak 10 in. diam.

80.00 1st 2nd Sec. post Cor. to Secs. 32 & 33 p. wh.

a B. Oak 10 in. diam. b. N. 37 W. 37 lks. dis.

a Beech 8 " " " N. 52 E. 50 " "

Land here pine rate soil
Timberland with Beech, W. Ash, Elm,
Syc., Ironw. W. & B. Oak, Hickory,
Sugar, W. Wood, B. Walnut, Sycamore &c —

T. 26 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

Spec. Beech & P. Ash Wm. Magth.

189.50 E.	On S. Boundary of Sec. 33
1.20	a Road N. & S.
3.00	a Fence 100 to the South
5.10	a House in field about 400 South
8.00	Dry Bed of Stream 10 lks. co. N.
10.00	E. end of Fence 100 South
14.00	a Road N. & S.
21.40	a Lym 10 in. diam.
32.28	a W. Oak 24 " "
32.50	a Road N. & S.
40.00	Set 2 nd Sec. for p. wh.
	a Beech 8 in. diam. to N. 50 E. 9 lks. di.
	a Do 10 " " " S. 15 W. 35 " "
48.00	a Trail N. & S.
62.40	a Lym 10 in. diam.
80.00	Set for Cor. to Secs. 33 & 34 p. wh.
	a B. Oak 10 in. diam. to N. 44 W. 26 lks. &
	a W. Ash 10 " " " N. 42 E. 41 "
Land very rich - Timber	
with Beech, Sugar, Ironb. Lym.	
W. Wood, Hickory, W. & B. Oak &	
Wm. Magth. Spec. & P. Ash. -	

189.50 E.	On S. Boundary of Sec. 34
32.90	a Hickory 10 in. diam.
40.00	Set 2 nd Sec. for p. wh.
	an Ironb. 6 in. diam. to N. 74 W. 12 lks. &
	a Beech 10 " " " S. 60 E. 57 "
48.00	a Trail N. & S.
62.30	a Lyeason 30 in. diam.
64.00	Bed of Stream 10 lks. wide co. N. W.
80.00	Set for Cor. to Secs. 34 & 35 p. wh.
	an Elm 12 in. diam. to N. 5 W. 11 lks. di.
	a Do 12 " " " N. 35 E. 35 " "

241.

T. 26 N. R. 3 E. 2nd Mer. Indiana,
Chs. Lks.

Lane Lumber rate - rather
wt. Ironwood W.B. Ash, Lymn,
Beech, Sugar, Hickory, Sycamore
W. Wood, W.B. Oak, Maple
Spruce & P. Ash -

189506 On T. Boundary of Sec. 35 -

31.00 Enter Alder Swamp, N. & S.

35.00 Lane Lk. N. & S.

35.30 an Elm 12 in. diam.

40.00 Set 2nd Sec. post p. wh.

a B. Ash 12 in. diam. N. 10 W. 12 E. &

a Lk. 12 " " " N. 53 E. 30 "

67.75 a Beech 8 " "

80.00 Set post Cor. to Sec. 35 & 36 p. wh.

a Beech 8 in. diam. N. 82 E. 40 lks. dis.

a B. Walnut 14 " " " N. 15 W. 71 " "

Lane Lumber rate rather
wt. W. & B. Ash, Elm, Lymn, Beech,
Sugar, Iron, W. Wood, B. Walnut,
Buckeye & P. Ash & Spruce

189506 On T. Boundary of Sec. 36

25.10 a W. Wood 20 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 10 in. diam. N. 50 W. 50 lks. &

a B. Oak 14 " " " N. 31 E. 36 "

57.00 a Road N. W.

62.85 an Elm 18 in. diam.

76.40 Bed of Stream 10 lks. co. N.

80.00 Set post Cor. to Towns 25 & 26 N. Ranges

3 & 4 E. - from which

a Beech 12 in. diam. N. 87 E. 33 lks. &

a B. Oak 14 " " " N. 30 W. 22 "

Intermetia 5.40 S. of Temp. Town Cor.

Lane Lumber rate

T 26. N. R. 3 E. 2nd Mer. Indiana.
cho. lks.

rather wet Beech. Sugar Ironw^d
Lym. Hick^y, Elm, W. B. Ash. B.
Walnut, Sycamore & Undergrowth.
Spice, Beech; and P. Ash
Oct. 1846.

East Bounding.

Var. 4.46 E.

North On E. Bounding of Sec. 36.
2.50 Bed. of Stream 10 lks. co. N. E.
13.50 Same " N. W.
20.36 a Sugar 24 in. diam.
20.50 Cor. of Fence - clearing extending
West about 8.00
25.00 House 1.00 W. of Line
30.50 End of Fence
37.50 a Stream 6 lks. wide co. N. E.
40.00 Set 2^d Sec. post p. wh.
a Beech 10 in diam. E. 123 W. 24 lks
a Do 18 " " " N. 57 W. 37 "
51.00 Clearing to the W. 1.00
54.00 House 1.00 W. of Line
55.50 a Stream 10 lks. wide co. East only
59.16 a Beech 12 in. diam.
60.00 Set post Cor. to Sec. 25 x 36. p. wh.
a Beech 15 in. diam. E. 79 W. 35 lks.
a Do 12 " " " S. 14 W. 46 "
Sand & gravel - Clay
Soil W. B. Oak, Beech, Lym., W. B. Ash,
Sugar, Sycamore, B. Walnut, Buckeye
Hornet, W. Wood, Maple &
Undergrowth Spice & P. Ash

North On E. Bounding of Sec. 25
19.52 a Beech 12 in. diam.
32.00 a Stream 10 lks. wide co. N. E.

T. 26 N. R. 3 E. 2nd Mer. Indiana,

243,

Chs. lks.

- 34.50 To S.E. Cor. of Cornfield Extending West.
 40.00 Set 2^d Sec. post in E. edge of field p. wh.
 a Beech 12 in. diam. E. N. 8 E. 34 lks. &
 a W. Walnut 15 " " " 449 E. 47 "
 44.00 Clear field E. & W. 10.00
 46.00 a Sugar 15 in. diam.
 48.00 Cornfield Extending West.
 51.50 Ascend Steep Bank E. & W. 30 ft. to
 Creek Bottoms. 56.50 Creek co. N.W. rapids
 57.82 to post on River Line in North side
 of Creek

Land gently rolling first
 rate clay soil - Sugar, Ironwood
 Sy. m. Beech, Elm, Hickory, B. Walnut,
 W. & B. Ash, W. Oak, Buckeye

Spice Beech & P. Ash

October 1846.

Surveyed by John Mullett

Dr. J. J. Surveyor

West Boundary.

- North. On E. Boundary of Sec. 36. T. 26 N. R. 2 E.
 1.70 an Indian Trail co. S. W.
 5.90 a Beech 40 in. diam.
 6.63 a Do 40 " "
 27.50 a Do 12 " "
 35.30 Our dry Tree 12 lks. wide co. W.
 37.68 a Poplar 24 in. diam.
 40.00 Set 2^d Sec. post p. wh.
 a Beech 18 in. diam. to N. 82 W. 12 lks. di.
 a Do 22 " " " N. 41 W. 28 " "
 57.70 a Do 10 " "
 71.00 Our Dry Tree 25. N.
 73.65 a Beech 26 in. diam.
 80.00 Set post cor. to Sec. 25 & 36 p. wh.

T. 26 N. R. 3 E. 2nd Mer. Indiana.
 chs. lks.

Sugar 12 in. diam. to 43 W. 38 lks. dis.
 a Do 23 " " " North 9 " "

Flat second rate Land - Timber
 Beech, Elm, Lym. Ash, Maple &
 Spruce Willow &c

North On E. Boundary of Sec. 25 T. 26 N. R. 2 E.

.09 a Sugar 23 in. diam.

5.08 a Beech 28 " "

34.13 Over Rock Creek 10 lks. wide co. W.

34.90 a Buckeye 10 in. diam.

40.00 S. L. 2nd Sec. for p. wh.

a G. Ash 16 in. diam. to 41 W. 6 lks. dis.

a Lym 20 " " " North 6 " "

40.06 a Do 20 " "

55.00 Over Dry Run 1.50 W.

57.82 a Beech 29 in. diam.

61.25 Over Dry Branch 20. W.

80.00 S. L. for Cor. to Sec. 24 & 25 p. wh.

a Beech 20 in. diam. to 43 W. 36 lks. dis.

a G. Ash 24 " " " 43 W. 30 " "

Level Monaxato Land
 Timber same as last

Surveyed in 1838, by

Arthur St. Clair Vance

Depy. Surveyor.

Note by Recorder

The intersection of this
 Boundary by the North Boundary of
 the Miami Reservation is represen-
 ted on the Map as being at 58.74
 North Town Line, or the
 Subdivision Note. - give this
 intersection.

T. 26 N. R. 3 E. 2nd Mer. Indiana
cho. lks.

Subdivision of that portion
of this Town S. of the North Boundary
of the Miami Reserve

Var. 4.45' E.

North Between Sections 35 & 36

10.00 Maple & Willow Swamp. Bars E. & W.

20.00 Leaf Swamp

21.20 a G. Ash 18 in. diam.

31.64 a Sycamore 48 " "

40.00 Gr L. D. Sec. poor. pr. wh.

a Beech 14 in. diam. N. 36 W. 12 lks. &

a Elm 18 " " " N. 85 E. 14 "

49.76 a W. Elm 24 " "

60.00 a Maple Swamp. Extends E. & W.

67.00 Leaf Swamp

68.11 a Hickory 24 in. diam.

80.00 Established Cor. to Sec. 25, 26, 35 & 36 pr. wh.

a W. Elm 12 in. diam. N. 45 W. 14 lks. dir.

a L. 24 " " " N. 36 E. 30 " "

Land from 10.00 Lure second
rate. Next 10.00 Swamp. poor. - Next
40.00 Lure second rate. Next 7.00 Swamp.
poor. Last 13.00 Lure second rate.

Timber on dry Land W. Oak, Poplar,
Lym. Hick. & Beech. - In the Spruce, P. Ash &
Beech - Timber in Swamp. Maple, S.
Elm. & Ash. water fr. out to two feet deep.

N. 89.50' E. On Random Betw. Sec. 25 & 36 Var. 5.10' E.

27.00 a Branch 6 lks. wide co. N.

40.00 Gr L. Temp. poor

72.00 Old Road bars. N. W. not used at present

78.00 a Branch 6 lks. wide co. N. 80 W.

80.00 Interrupted E. Boundary 10 lks. S. of poor

Land this 50.00 Lure good second
rate. Timber W. Oak, Sugar. Poplar.

246.

T. 26 N. R. 3 E. 2nd Mer. Indiana.

chs. lks.

and Beech. - Thick undgth. of Spice
Ironwood & Beech

189.46 W. Established Line Betwth Secs. 25 & 36
 10.22 a Beech 12 in. diam.
 20.63 a Lym 18 " "
 35.40 a Beech 20 " "
 40.00 Set 2nd Sec. post p. wh.
 a Beech 20 in. diam. to 66 1/2 E. 21 lks. &
 a Do 12 " " to 25 1/2 W. 12 "
 50.39 a Do 18 " "
 60.50 a Sugar 24 " "
 75.56 a Lym 20 " "
 80.00 to Sec. Cor. May 8, 1847

North Between Sections 25 & 26 - Var. 4.45' E.
 18.00 a Road bars E. & W.
 40.00 Set Temp. post
 57.34 Intersected N. Boundary Line 75 lks E. of post
 Land this 57.34 Set 2nd Natl.
 Timber W. Oak, G. Ash, Sugar, Elm, and
 Beech. - Undgth. Spice, P. Ash, Ironwood & Beech.

1.44 W. Established Line Betwth Secs. 25 & 26
 7.50 a Beech 20 in. diam. { Ironwood 5 1/4 40 1/2 E. 24 lks.
 15.00 a Hic. Elm 24 " " { Beech 12 1/2 35 W. 30 "
 17.34 Set 2nd Sec. post p. wh.
 a H. Elm 30 in. diam. to North 19 lks. dis.
 a Beech 12 " " to North 15 " "
 37.00 a Do 20 " "
 40.82 a Lym 20 " "
 57.34 to Sec. Cor.

North Between Sections 34 & 35 Var. 4.45' E.
 14.10 a G. Ash 10 in. diam.
 20.00 Clear Ash & Elm Swamp

247.

T. 26 N. R. 3 E. 2nd Mer. Indiana.

Ch. lks.

- 32.00 a Beech 20 in. diam.
 40.00 Set 2nd Sec. post p. 10th.
 a W. Oak 30 in. diam. $\frac{1}{2}$ S. 3 E. 33 lks. dir. &
 a Lym 12 " " " 4 W. 11 " "
 50.71 a Beech 20 " "
 60.11 an S. Oak 12 " "
 71.36 a Beech 12 " "
 80.00 Established cor. to Sec. 26, 27, 34, 35 p. 10th.
 a Beech 28 in. diam. $\frac{1}{2}$ S. 7 W. 16 lks. dir.
 a Do 20 " " " 143 E. 60 " "
 Land fine 20.00 Set 2nd Sec.
 rate - Next 5.00 Swamp post - Next 35.00
 Set 2nd Rate - Last 2.00 incline to be
 set second rate - Timber W. Oak, Poplar,
 Lym, Elm, & Beech - Thick growth of
 Spice, P. Ash, & Beech - Timber in the
 Swamps - S. Oak, Elm & Maple

-
- N. 89.50 E. On Random Butte Sec. 26 & 35 Var. 5.10 E.
 35.00 a Branch lks. wide co. N.
 40.00 Set Temp. post
 44.00 a Creek 18 lks. wide co. N. W.
 80.10 Intermittent N. & S. Line at post
 Land this 80.50 Set 2nd Sec.
 rate - Timber W. Oak, Poplar, Sugar and
 Beech - Thick growth of Spice
 Irono. P. Ash. and Beech -

-
- N. 89.50 W. Established Line Butte Sec. 26 & 35
 11.69 a Sugar 12 in. diam.
 24.00 a Do 20 " "
 40.05 Set 2nd Sec. post p. 10th.
 a Beech 12 in. diam. $\frac{1}{2}$ S. 80 W. 25 lks. &
 a Sugar 12 " " " 46 E. 10 " "
 50.71 a W. Oak 40 " "
 70.56 a Lym 18 " "

T. 26 N. R. 3 E. 2nd Mer. Indiana.

chw. lks.

80.10 to Sec. Line

North Between Section 26 & 27 Var. 44⁵ E.

10.00 Wet Marshy Land

40.00 Spl. Spruce post

46.00 Low wet Marshy Land

57.40 Interrupted N. Bounce Line 1.16 E. of post

Dry Land in this 57.40 Line
 Deciduous - Timber W. Oak, Poplar, and
 Birch - Land in Marsh poor timber
 S. Ash, S. Elm & Maple. - Undergrowth
 on Dry Land Spruce, S. Ash & Birch -

S. 1.96 Established Line Betw. Sec 26 & 27

an S. Elm 7 in diam. to 16 W. 16 lks. &

a No 12 " " " 1.20 E. 61 " "

10.21 a Birch 20 " "

13.10 a Spruce 30 " "

17.40 Established 2nd Sec. post from

an S. Ash 12 in. diam. to 16 W. 16 lks. &

a No 8 " " " 1.57 W. 29 "

20.67 an S. Elm 10 " "

30.87 a S. Ash 18 " "

50.31 a Birch 20 " "

57.40 to Sec. Cor.

North Between Section 33 & 34 Var. 44⁵ E.

8.00 Wet Marshy Land Extends E & W.

20.50 a Hickory 16 in. diam.

21.00 Low wet Marshy Land

28.00 Wet Marshy Land again from East

40.00 Established 2nd Sec. post from

a B. Oak 30 in. diam. to 16 W. 16 lks. &

an S. Ash 16 " " " 1.46 W. 34 "

40.65 an S. Elm 24 " "

43.00 Low Marshy Land

249.

T. 26 N. R. 3 E. 2nd Mer. Indiana.

ch. lks.

- 49.70 a Sugar 18 in. diam.
 54.00 a Chuck 18 lks. wide co. N.W.
 63.29 a Beech 20 in. diam.
 80.00 Established cor. to Sec. 27, 28, 33 & 34 p. wh.
 a Hickory 8 in. diam. to S. 12 1/2 W. 29 lks. dis.
 a Maple 9 " " " N. 40 E. 31 " "

Dry Lane this 50.00 Lane 2nd
 rate - Timber N. & B. Oak, Poplar, Syc. m.,
 Elm. & Beech. - Thick growth. of Spruce
 P. Ash, Ironw. & Beech. Land in Marshes
 poor. third rate - Tim. S. Ash. Elm. & Maple.

N. 89.50 E. On Random Betw. Sec. 27 & 34 Var. 5-10' E.

- 3.00 a Road cross North
 20.00 Wet Marshy Lane extend N. & S.
 39.00 Scar Marshy Lane
 40.00 S. L. Temp. for
 79.50 Interrupted N. & S. Line 8 lks. S. of join

Lane join 20.00 and Lane 40.50
 Lane 2nd Rate - Timber W. Oak, S. Ash,
 Poplar, Syc. m., Elm. & Beech. mod. gth.
 Marsh Lane poor - Timber S. Ash, S.
 Elm. & Maple

N. 89.47 W. Established Line Betw. Sec. 27 & 34

- 10.33 a Sugar 18 in. diam.
 35.56 a Beech 20 " "
 39.75 S. L. 2nd Sec. for p. wh.
 an S. Ash 26 in. diam. to N. 12 1/2 W. 26 lks. dis.
 a W. Elm 40 " " " S. 12 1/2 W. 18 " "
 60.10 an Elm 18 " "
 70.39 a Beech 20 " "
 79.50 to Sec. Cor.

North Between Sections 27 & 28 Var. 14-45' E.

- 6.50 a Branch 5 lks. wide co. West

T. 26 N. R. 3 E. 2nd Mer. Indiana.

Ch. lks.

7.50 a Road bars S. 30 E.
 40.00 Set 1st Sec. for
 58.00 Intentional N. Bound. Lim 37 lks. W. of from
 Land this 58.00 Last 2nd Rate-
 W. B. Oak, Lym (Poplar, Hickory,
 and Beech. Thick Undergrowth of
 Spruce, P. Ash & Beech. May 10. 1847.

1. 21st W. Establishing Line bet^h Sec. 27 & 28
 9.76 a Beech 20 in. diam. { Hick 20 1/2 W. 21 lks.
 18.00 Set for 2nd Sec. p. wh. { Beech 10 1/2 S. 27 "
 a Sugar 10 in. diam. W. 12 1/4 W. 28 lks. diam.
 " G. Ash 24 " " " 12 1/4 E. 19 " "
 40.68 a Beech 10 " "
 50.36 a Lym 18 " "
 58.00 to Sec. Cor. May 10. 1847

North Between Sections 32 & 33 Var. 5th 45th E.
 12.63 a Beech 18 in. diam.
 22.80 a G. Ash 8 " "
 25.00 Marshy Land extends E. & W.
 35.00 Clear Marshy Land
 36.28 a W. Oak 20 in. diam.
 40.00 Set 2nd Sec. for p. wh.
 a Sugar 36 in. diam. W. 48 1/2 E. 15 lks. &
 an Iron 8 " " " 17 1/2 W. 26 "
 41.00 a Creek 15 lks. wide co. N.W. Low
 Banks. New Current
 45.29 a W. Oak 8 in. diam.
 66.00 Improvement of 8 Acres
 74.00 Clear Improvement.
 81.00 Establishing Cor. to Sec. 28, 29, 32 & 33 p. wh.
 a Sugar 10 in. diam. W. 15 1/2 E. 12 lks. &
 a Lym 14 " " " 44 1/2 E. 19 "
 Land from 25.00 to Last 45.00
 Land incorporated Timber W. Oak

T. 26 N. R. 3 E. 2nd Mer. Indiana
cls. lks

Sugar, Lym. & Ash. Poplar & Beech.
Undergrowth, Spruce, P. Ash. & Beech.
Land in Marsh poor
Timber Oak, & Ash. Elm. & Maple.

N. 89.50 E. On Random Betwth Secs. 28 & 33. Var. 5.10 E.
5.00 a Creek 15 lks. wide co. N. 8 W. Low Banks.

40.00 Set Temp. j. j. j.

45.00 a Road runs South

75.00 a Creek 20 lks. wide co. N. 20 W. Low
Banks. Slow Current

80.10 Interrupted N. & S. Line at j. j.

Land this 80.10 Land good
second rate. Timber W. Oak, Poplar,
Beech, Sugar, & Lym. Thick undergrowth
of Spruce, Ironwood, & Beech

N. 89.50 W. Established Line Betwth Secs. 28 & 33

15.26 a Beech 12 in. diam.

35.10 a Lym 20 "

40.05 Set 2nd Sec. j. j. j. w. h.

a Beech 16 in. diam. l. N. 75 W. 14 lks. dist.

a G. Ash 16 " " N. 82 E. 17 " "

49.63 a Poplar 20 " " 60.15 Lym 10 in. diam.

80.10 to Sec. Cor.

North Western Section 28 & 29. Var. 5.10 E.

3.00 a Creek 15 lks. wide co. West

40.00 Set Temp. j. j. j.

57.80 Interrupted N. Boundary Line 15 lks. E. of j. j.

Land this 57.80 Land 2nd
Rate Timber W. Oak, Lym. Poplar,
Sugar, & Beech. Thick undergrowth
of Spruce Ironwood, & Beech

S. 8 E. Established Line Betwth Secs. 28 & 29 -

T. 26 N. R. 3 E. 2nd Mer. Indiana,
dw. lks.

- 10.20 a Lynn 12 in. diam.
17.80 Set 2nd Sec. for p. wh.
a Beech 18 in. diam. to N 20 W. 18 lks. dis.
" Do 12 " " " 463 E. 14 " "
33.18 a Lynn 12 " "
42.56 a Beech 18 " "
57.80 to Sec. Cor.

North Between Sections 31 & 32 Var. 4° 45' E.

- 5.00 a Beech 12 in. diam.
4.35 a W. Elm 10 " "
32.20 a Beech 20 " "
40.00 Set 2nd Sec. for p. wh.
a Burr Oak 26 in. diam. to N 44 W. 27 lks.
" Do 18 " " " South 5 "
50.50 a Creek 18 lks. wide co. W. Low
Banks - Slow Current
58.00 a Road across S. E.
70.00 Pap. S. E. cor. of Charles Flanigans
Improvement
72.39 a Sugar 18 in. diam.
75.00 a G. Ash 30 " "
80.00 Established Cor. to Secs 29, 30, 31, 32 p. wh.
a W. Elm 30 in. diam. to N 71 E. 5 lks. dis.
a B. Oak 20 " " " South 6 " "

Land this 80.00 lks. good
second rate - Timber W. Oak, G. Ash -
Poplar, Lynn, & Beech - Thick Undergrowth
of Spruce, P. Ash, & Beech.

N 89° 50' E. Between Sections 29 & 32 Var. 5° 10' E.

- 40.00 Set Temp. for
46.00 Willow and Ash Swamp
63.50 Clear Do
79.65 Intermittent N. Y. Line at pond
Dry Land this 79.65 lks. second

T. 26 N. R. 3 E. 2nd Mer. Indiana.

253.

Chs. Lk.

Rate - Timber W. Oak, Sugar, Lym. Elm,
Poplar, & Beech. - Thick undergrowth
of Spruce, Ironwood, Beech. Swamp
poor - Timber L. Elm, Ash & Maple,
and Willow

489.50 W Established Line bet^{rs} Sec 29 & 32

10.18 a Beech 20 in. diam.

35.08 a Poplar 18 " "

39.82 S & L 2nd Sec. post p. wh.

a W. Elm 20 in. diam. to N 20 W. 34 Lk. &

a Beech 18 " " " 4.10 W. 34 "

49.50 a Do 12 " "

60.57 a Lym 20 " "

70.10 a G. Oak 24 " "

79.65 to Sec. Cor.

North. Between Sections 29 & 30 Var. 445 E.

40.00 S & L Temp. post

53.00 a Creek 15 Lk. wide co. N. W. Low
Banks. - Slow Current

58.23 Interseta N. Boundary Line 63 Lk. W. of post

Land this 58.33 S & L gova

Monarato. Timber W. Oak, B.

Oak, Lym. Sugar, Poplar, & Beech.

Thick undergrowth of Spruce Ironwood & Beech.

4.35 W Established Line bet^{rs} Sec 29 & 30

* 6.24 a G. Oak 10 in. diam. { Hick. 8 4.26 W. 20 Lk.

14.10 a Beech 12 " " { Ironwood 8 4.8 E. 31 "

18.23 S & L 2nd Sec. post p. wh.

a Hickory 16 in. diam. to N 20 W. 22 Lk. dis

a Do 10 " " " 4.45 W. 27 " "

28.57 a Lym 20 " "

39.10 a Poplar 30 " "

48.50 a W. Oak 18 " "

T. 26 N. R. 3 E. 2nd Mer. Indiana,
Chs. Lks.

58.23 to Sec. Cor.

N. 89.50 W. On Random Betwth Secs. 30 & 31 N. 5.10 E.
15.00 a Creek 20 lks. wide ca. North. Low
Banks - Slow Current
16.00 S. E. Cor. of H. Wilkinson improvement
15. Acres and a Log House.
21.00 Lean Improvement
30.00 a Road bars N.W.
40.00 Set Temp. p. post
52.00 a Road bars S.W.
71.78 Intersected N. Boundary 8 lks. N. of post
Land this 71.78 Lure good
Second rate Timber W. Oak, Sugar,
Poplar, B. & W. Elm, & Beech
Thick Undergrowth of Spice, P. Ash
Hawthorn & Buck. May 11 - 1847.

N. 89.47 E. Established Line Betwth Secs. 30 & 31
a Beech 18 in. diam. N. 75 E. 12 lks. &
a Do 14 " " " N. 38 E. 100 "
12.50 a Do 12 " "
25.30 a Do 16
31.00 Established 2nd Sec. for p. wh.
31.78 a Beech 22 in. diam. S. 10 E. 43 lks. &
a Ironb^o 6 " " N. 83 W. 15 "
56.20 a Beech 20 " "
66.47 a Poplar 20 " "
71.78 to Sec. Cor.

Tract Township No. 26
North of Range No. 3 E. is low Land,
second rate. The Timber is W. Oak,
Sycamore, Poplar, Gum, S. Ash, S. Elm,
Maple & Birch - The wet Land
Marshes & Ponds, is poor. - the water

T. 26 N. R. 3 E. 2nd Mer. Indiana.

bring from one to three feet in depth
The Creek & Branches have
Low Banks, and sluggish currents
in a westward direction - It is but
an indifferent part of a Township
of Land -

I Abner E. Van Ness
Deputy Surveyor do solemnly swear that
in pursuance of a Contract dated
the 20th day of May 1846 with Lucius
Lyen Surveyor General of the
United States for Ohio, Indiana,
and Michigan; And in strict conform-
ity to the Laws of the United States
and Instructions of said Surveyor
General. - I have regularly surveyed
and subdivided into Sections, Trac-
e Township N. 26 North of Range N. 3
East of the 2nd Principal Meridian
in the State of Indiana - And
I do further solemnly swear that
the foregoing are the true and orig-
inal field Notes of the said Survey
and Subdivision Executed as
aforesaid -

Abner E. Van Ness
Deputy Surveyor
Subscribed and sworn to before me
this 5th day of June 1847

Jas. W. Dunn
Justice of the Peace

James Bell
Justus Miner
Waac McMillin
Chairmen
Marker

T. 26 N. R. 3 E. 2nd Mer. Indiana.

I certify that the foregoing
transcript of the Field Notes of Genl.
Township No. 26 N. of Range No. 3. E.
2nd Meridian Indiana. has been
compared with the original notes
in this Office and found to be
Correct

Surveyor Genl. Office
Detroit Nov. 1. 1849

Lucius Lyon,
Chf. Engr.